HGCA Descriptive List Spring oilseed rape 2015

| DESCRIBED | NEW | | | NEW | С | NEW | * | С | * | * | * | * | |
|---|---------|--------|---------|---------|-------|--------|---------|---------|---------|---------|----------|-------|------------------|
| HGCA | Mirakel | Dodger | Doktrin | Builder | Makro | Simba | Delight | Tamarin | Belinda | Larissa | Colossus | James | Average LSD (5%) |
| Variety type | | | | | | | | | | | | | |
| Variety type | RH | RH | RH | RH | RH | RH | RH | Conv | RH | Conv | Conv | Conv | |
| Gross output (yield adjusted for oil content) as % control | | | | | | | | | | | | | |
| UK without fungicide (2.9 t/ha) | [107] | [106] | [106] | [105] | 103 | [102] | 99 | 97 | 96 | 92 | 91 | 89 | 6.1 |
| Number of trials | 7 | 10 | 10 | 7 | 17 | 7 | 19 | 18 | 18 | 15 | 16 | 14 | |
| Seed yield as % control | | | | | | | | | | | | | |
| UK without fungicide (2.8 t/ha) | [106] | [105] | [106] | [104] | 102 | [102] | 99 | 98 | 97 | 93 | 91 | 89 | 5.8 |
| Seed quality (at 9% moisture) | | | | | | | | | | | | | |
| Oil content (%) | [44.6] | [45.1] | [44.4] | [45.3] | 45.0 | [44.1] | 44.3 | 43.5 | 43.5 | 43.4 | 43.7 | 44.6 | 0.7 |
| Glucosinolate content (µmoles/g) | 10.0 | 15.2 | 9.7 | 13.8 | 14.7 | 13.3 | 14.7 | 16.1 | 14.5 | 13.4 | 12.8 | 14.8 | - |
| Agronomic features | | | | | | | | | | | | | |
| Standing ability | - | - | - | - | [8] | - | [8] | [8] | [8] | [8] | [9] | [8] | 0.8 |
| Shortness of stem | 6 | 6 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 0.3 |
| Earliness of flowering | [7] | 7 | 7 | [7] | 5 | [5] | 8 | 7 | 8 | 6 | 5 | 6 | 0.9 |
| Earliness of maturity | [6] | [5] | [5] | [6] | 3 | [6] | 6 | 7 | 7 | 6 | 3 | 6 | 1.9 |
| Annual gross output (yield adjusted for oil content) as % control | | | | | | | | | | | | | |
| 2009 (2.7 t/ha) | - | - | - | - | [110] | - | [98] | [90] | [89] | [92] | [88] | [80] | 9.7 |
| 2010 (2.9 t/ha) | - | - | - | - | [101] | - | [94] | [99] | [91] | [91] | [91] | [90] | 12.9 |
| 2011 (2.7 t/ha) | - | [110] | [110] | - | [102] | - | [100] | [98] | [101] | [98] | [89] | [93] | 10.2 |
| 2012 (3.4 t/ha) | [105] | [99] | [104] | [108] | [102] | [99] | [97] | [99] | [96] | [96] | [86] | [87] | 15.6 |
| 2013 (3.0 t/ha) | [102] | [109] | [107] | [108] | [101] | [103] | [101] | [99] | [94] | [87] | [94] | [91] | 10.1 |
| 2014 (3.1 t/ha) | [111] | [105] | [103] | [100] | [104] | [100] | [105] | [96] | [103] | - | - | - | 11.8 |
| Breeder/ UK contact | | | | | | | | | | | | | |
| Breeder | NPZ | Bay | NPZ | Bay | NPZ | Lant | BayR | Lant | BayR | BayR | UG | UG | |
| UK Contact | DSV | Bay | DSV | Bay | DSV | Sen | Bay | Sen | Bay | Bay | JTSD | JTSD | |
| Status in DL system | | | | | | | | | | | | | |
| Year first listed | 15 | 14 | 14 | 15 | 12 | 15 | 09 | 10 | 10 | 09 | 10 | 11 | |
| DL status | P1 | P2 | P2 | P1 | - | P1 | * | - | * | * | * | * | |

Varieties no longer listed: Ability, Amulet, Carnival, Dylan, Heros, Kumily, Orwell and Shelley

On the 1-9 scales, high figures indicate that a variety shows the character to a high degree (e.g. early maturity)

RH = restored hybrid Conv = conventional open-pollinated variety

[] = limited data

P1 = first year on list C = yield control (for current table) * = variety no longer in trial

P2 = second year on list

LSD = least significant difference

Average LSD (5%): varieties that are more than one LSD apart are significantly different at the 5% confidence level

The data in this table are provided for information only and do not constitute a recommendation.

Key to Breeder and UK contact codes:

Bay = Bayer CropScience (www.bayercropscience.co.uk) BayR = Bayer CropScience Raps. (www.bayercropscience.co.uk)

DSV = DSV United Kingdom (www.dsv-uk.co.uk)

JTSD = John Turner Seed Developments (www.jtsd.co.uk)

Lant = Lantmannen SW Seed, Sweden

NPZ = NPZ-Lembke, Germany (www.npz.de)

Sen = Senova (www.senova.uk.com)

UG = University of Guelph, Canada